

Section 1 Chemical Product and Company Identification

Product Identifier GPC® Ferric Chloride Zeroing Solution
Product Number IR-CHE7469
General Use Zeroing solution for digital copper analyzer
Company Address UEI Systems®, a UEI Group Company
 9090 Nieman Road
 Overland Park, KS 66214 USA
Phone +1 800 221 9059 or +1 913 541 0503
Emergency Contact Number CHEMTREC – Available 24 hours/day, 7 days/week
 Domestic North America: +1 800 424 9300
 International: +1 703 527 3887

Section 2 Hazards Identification

GHS Classification

Hazard Class	Hazard Category	Route of Exposure
Corrosive to metals	1	–
Skin Irritation	2	–
Serious Eye Damage	1	–

GHS Labeling

Contains Ferric Chloride (7705-08-0) Hydrochloric Acid (7647-01-0)



Danger

Hazard Statements

May be corrosive to metals
 Causes skin irritation
 Causes serious eye damage

Precautionary Statements

Keep only in original container
 Wash skin thoroughly after handling
 Wear protective gloves/protective clothing/eye protection/face protection

Response

If On Skin Wash with plenty of soap and water
If In Eyes: Rinse cautiously with water for several minutes.
 Remove contact lenses, if present and easy to do. Continue rinsing.
 Immediately call a **Poison Center** or doctor/ physician.
If Skin Irritation Occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. Absorb spillage to prevent material damage.

Storage

Store in corrosive resistant container with a resistant inner liner.

Disposal

Dispose of contents/container to an approved waste disposal plant.

Section 3 Hazardous Ingredients / Identity Information

Hazardous Components	CAS No.	%
Ferric Chloride	7705-08-0	20–40
Hydrochloric Acid	7647-01-0	<1

Section 4 First Aid Measures

In all cases, call a physician immediately.

Inhalation If breathed in, move person into fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Skin Contact Wash off with soap and plenty of water.

Eye Contact Immediately flush eyes with large amounts of water for at least 15 minutes. Continue rinsing eyes during transport to hospital.

Ingestion Do **not** induce vomiting. Rinse mouth with water. Never give anything by mouth to an unconscious person.

Acute and Delayed Symptoms The most important know symptoms and effects are described in Section 2 and/or Section 11.

Section 5 Firefighting Measures

Extinguishing Media Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide

Flammable/Combustible Properties Hydrogen chloride gas

Firefighting Equipment/Instructions Wear self-contained breathing apparatus for firefighting, if necessary

Section 6 Accidental Release Measures

Personal Precautions Wear respiratory protection. Avoid dust formation. Avoid breathing vapors, mist or gas. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection, see Section 8.

Environmental Precautions Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Do not discharge into the environment.

Methods for Cleaning Up Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

Section 7 Handling and Storage

Handling Precautions Avoid contact with skin and eyes. Avoid inhalation of vapor or mist.

Storage Requirements Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Section 8 Component Exposure Limits

Control Parameters	Hazardous Components	CAS No.	%	OSHA (PEL/TWA)	ACGIH TLV
	Ferric Chloride	7705-08-0	20–40	1 mg/m ³	1 mg/m ³
	Hydrochloric Acid	7647-01-0	<1	5 ppm (ceiling)	5 ppm (ceiling)

Appropriate Engineering Controls Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Section 8 Component Exposure Limits, continued

Eye/Face Protection	Wear face shield and safety glasses
Skin Protection	Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.
Personal Protection	Wear complete body suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Respiratory Protection	Where risk assessment shows air-purifying respirators are appropriate, use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator.
Control of Environmental Exposure	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Do not discharge into the environment.

Section 9 Physical and Chemical Properties

Appearance/Odor	Liquid/reddish brown	Odor Threshold	No data
pH	<2	Freezing Point	6–28° F (-14 – -2° C)
Boiling Point Range	225–280° F° (107–138° C)	Solubility (H₂O)	No data
Specific Gravity	(Water = 1) 1.25 to 1.41	Density	68 lbs/ft ³ at 68°F (20°C)
Octanol/H₂O Coefficient	No data	Evaporation Rate	>1
Molecular Weight	No data	Decomposition Temperature	No data
Auto Ignition	No data	Lower Flammability Limit	No data
Flash Point	No data	Upper Flammability Limit	No data
Vapor Density	No data	Vapor Pressure	No data
VOC	No data	Flammability Class	No data
Viscosity	No data		

Section 10 Chemical Stability and Reactivity

Reactivity	No data available
Chemical Stability	Stable under recommended storage conditions
Possibility of Hazardous Reactions	No data available
Conditions to Avoid	No data available
Incompatibility	Strong oxidizing agents, Potassium, Alkali metals, Allyl Chloride, Ethylene Oxide, Styrene and bases
Hazardous Decomposition/By-Products	Decomposes above 392° F (200° C). This produces toxic and corrosive gases including chlorine and hydrogen chloride. Decomposes on contact with water. This produces hydrogen chloride.

Section 11 Toxicological Information

Acute Toxicity	
Acute Oral LD50	Mouse – 1,300 mg/kg
Acute Inhalation	No data available
Acute Dermal LD50	Rabbit – >2,000 mg/kg (OECD test guideline 402)
Skin Corrosion/Irritation	Rabbit Result: Irritating to skin
Serious Eye Damage/Eye Irritation	Rabbit Result: Severe eye irritation
Respiratory/Skin Sensitization	No data available
Germ Cell Mutagenicity	No data available
Carcinogenicity	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC, ACGIH, NTP or OSHA.
Reproductive Toxicity	No data available
Specific Target Organ Effects	The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.
Aspiration Hazard	No data available

Section 12 Ecological Information

Ecotoxicity												
Toxicity to Fish	<table border="1"> <thead> <tr> <th>Component</th> <th>Species</th> <th>Exposure Time</th> <th>LC50/EC50/IC50</th> </tr> </thead> <tbody> <tr> <td rowspan="2">Ferric Chloride (7705-08-0)</td> <td><i>Pimephales promelas</i> (fathead minnow)</td> <td>96 hrs</td> <td>LC50 21.84 mg/l</td> </tr> <tr> <td><i>Daphnia magna</i> (water flea)</td> <td>48 hrs</td> <td>EC50 9.6 mg/l</td> </tr> </tbody> </table>	Component	Species	Exposure Time	LC50/EC50/IC50	Ferric Chloride (7705-08-0)	<i>Pimephales promelas</i> (fathead minnow)	96 hrs	LC50 21.84 mg/l	<i>Daphnia magna</i> (water flea)	48 hrs	EC50 9.6 mg/l
Component	Species	Exposure Time	LC50/EC50/IC50									
Ferric Chloride (7705-08-0)	<i>Pimephales promelas</i> (fathead minnow)	96 hrs	LC50 21.84 mg/l									
	<i>Daphnia magna</i> (water flea)	48 hrs	EC50 9.6 mg/l									
Persistence/Degradability	No data available											
Bioaccumulative Potential	No data available											
Mobility in Soil	No data available											
Results of PBT and vPvB Assessment	PBT/vPvB assessment not available as chemical safety assessment not required/not conducted											
Other Adverse Effects	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life.											

Section 13 Disposal Considerations

Waste Treatment Methods	Dispose in accordance with federal, state, provincial, and local regulations. Regulations may also apply to empty containers. The responsibility for proper waste disposal lies with the owner of the waste.
Packaging Disposal Instructions	Dispose of as an unused product.

Section 14 Transportation Information

DOT (US)		IMDG		IATA	
UN number	2582	UN number	2582	UN number	2582
Class	8	Class	8	Class	8
Packing group	III	Packing group	III	Packing group	III
Proper shipping name		EMS-No	F-A, S-B	Proper shipping name	
Ferric Chloride, Solution		Proper shipping name		Ferric Chloride, Solution	
Reportable Quantity (RQ)	1,000 lbs	Marine pollutant	Yes		
Poison Inhalation Hazard	No				

Section 15 Regulatory Information

- U.S. TSCA - Inventory Status** All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.
- Canada DSL Inventory Status** All ingredients of this product are listed or are excluded from listing on the Domestic Substances List (DSL), the Non-Domestic Substances List (NDSL) or exempt.
- CERCLA/SARA Section 302** Ferric Chloride, solution – 1,000 lbs; Hydrochloric Acid – 5,000 lbs
- SARA 311/312 Hazards** Immediate (acute) and long-term (chronic) health hazard
- CERCLA/SARA Section 313** Not listed

	<u>Right To Know Components</u>	<u>CAS-No</u>	<u>Revision Date</u>
Pennsylvania	Ferric Chloride	7705-08-0	1993-04-24
New Jersey	Ferric Chloride	7705-08-0	1993-04-24
Massachusetts	Ferric Chloride	7705-08-0	1993-04-24
California Prop 65	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.		

Section 16

Other Information

UEI Systems® provides the information contained herein in good faith. It is believed to be correct. However it is not all-inclusive and should be used only as a guide. Individuals receiving this information must exercise their independent judgement in determining its appropriateness for a particular purpose. UEI Systems shall not be held liable for any damage resulting from handling or from contact with this product. All information appearing herein is based upon data obtained from the manufacturer and/or recognized technical sources.

Abbreviations PEL Permissible Exposure Limit
TLV Threshold Limit Value

- End Notes**
1. SARA - Signed into law in 1986, the Superfund Amendments and Reauthorization Act (SARA) is an extension of CERCLA, and is intended to encourage and support local and state emergency planning efforts. SARA provides citizens and local governments with information about potential chemical hazards, and calls for facilities that store hazardous materials to provide officials and citizens with data on the type and amount on hand at specific locations. This field states whether a material is listed or not listed in section 372.65 of SARA. EHS - This states if a material is listed or not listed in Appendix B to part 355, the SARA Extremely Hazardous Substances (EHS) section. RQ is the reportable quantity. TPQ is the Threshold Planning Quantity.
 2. RCRA - The Resource Conservation and Recovery Act enacted in 1976 and subsequently amended, controls solid-waste disposal and encourages recycling. This states whether a material is listed or not listed under this regulation. If listed the Hazardous Waste Number and waste characterization assigned by RCRA is also provided.
 3. CERCLA - Enacted in 1980 and amended thereafter, the Comprehensive Environmental Response, Compensation, and Liability Act provides for identification and cleanup of hazardous materials released on land, into the air, waterways, and groundwater. It covers areas affected by newly released materials and older leaking or abandoned dump sites. This states whether a material is listed or not listed in CERCLA Table 302.4. If listed the section(s) that it is listed under and the Reportable Quantity (RQ) are also provided.
 4. TSCA - The Toxic Substances Control Act controls the exposure to and use of raw industrial chemicals not subject to other laws. This states whether the chemical is listed or not listed under this regulation.

Revision 22 October 2015
Supersedes 12 May 2015